











## Active substances set

**Search phrase:** Liver cancer

Below you will find a list of active substances registered by the European Medical Agency (EMA) in the last 15 years, recommended by the European Society of Clinical Oncology (ESMO) and their reimbursement status in the country.

### Liver cancer

<b>Regorafenib</b>	Regorafenib jest wskazany w monoterapii do leczenia dorosłych pacjentów z rakiem wątrobowokomórkowym (ang. hepatocellular carcinoma, HCC), którzy wcześniej byli leczeni sorafenibem.	 <b>NO REIMBURSEMENT</b>  <b>ESMO</b>
<b>Lenvatinib</b>	Lenvatinib w monoterapii jest wskazany w leczeniu dorosłych pacjentów z zaawansowanym lub nieoperacyjnym rakiem wątrobowokomórkowym, którzy nie byli poddani wcześniej leczeniu ogólnemu.	 <b>NO REIMBURSEMENT</b>  <b>ESMO</b>
<b>Ramucirumab</b>	Ramucirumab monotherapy is indicated for the treatment of adult patients with advanced or unresectable hepatocellular carcinoma who have a serum alpha fetoprotein (AFP) of $\geq 400$ ng/ml and who have been previously treated with sorafenib.	 <b>NO REIMBURSEMENT</b>  <b>ESMO</b>
<b>Tremelimumab</b>	Tremelimumab in combination with durvalumab is indicated for the first line treatment of adults with advanced or unresectable hepatocellular carcinoma (HCC).	 <b>NO REIMBURSEMENT</b>  <b>ESMO</b>
<b>Ipilimumab</b>	Rak wątrobowokomórkowy (ang. hepatocellular carcinoma, HCC) Ipilimumab w skojarzeniu z niwolumabem jest wskazany do leczenia pierwszej linii nieoperacyjnego lub zaawansowanego raka wątrobowokomórkowego u dorosłych pacjentów.	 <b>NO REIMBURSEMENT</b>  <b>ESMO</b>

**Nivolumab**

Hepatocellular carcinoma (HCC) Nivolumab in combination with ipilimumab is indicated for the first-line treatment of adult patients with unresectable or advanced hepatocellular carcinoma.

-  **NO REIMBURSEMENT**
-  **ESMO**

**Cabozantinib**

Cabozantinib is indicated as monotherapy for the treatment of hepatocellular carcinoma (HCC) in adults who have previously been treated with sorafenib.

-  **REIMBURSEMENT WITH RESTRICTIONS**
-  **ESMO**

**Atezolizumab**

Atezolizumab, in combination with bevacizumab, is indicated for the treatment of adult patients with advanced or unresectable hepatocellular carcinoma (HCC) who have not received prior systemic therapy.

-  **REIMBURSEMENT WITH RESTRICTIONS**
-  **ESMO**

**Durvalumab**

Hepatocellular Carcinoma (HCC) Durvalumab as monotherapy is indicated for the first line treatment of adults with advanced or unresectable hepatocellular carcinoma (HCC). Durvalumab in combination with tremelimumab is indicated for the first line treatment of adults with advanced or unresectable hepatocellular carcinoma (HCC).

-  **REIMBURSEMENT WITH RESTRICTIONS**
-  **ESMO**